

SKINDICHT® ZSE-M

SKINDICHT® ZSE-M,

PG



PG

가

PG

가

DIN EN 60423

DIN IEC 62444

SKINDICHT® ZSE-M-XL

SKINDICHT® SHV-M

SKINDICHT® SHVE-M

SKINDICHT® SRE-M

SKINDICHT® SR-SV-M

ETIM 5:

ETIM 5.0 Class-ID: EC000441

(24.04.2024)

©2024 Lapp Group - all rights reserved.

<http://lappkorea.lappgroup.com>

data sheet

PN 0456 / 02_03.16



SKINDICHT® ZSE-M

ETIM 6:

:

:

ETIM 5.0 :

ETIM 6.0 Class-ID: EC000441

ETIM 6.0 Class :

:

-60°C +200°C

가 VAT 가 가 .

(24.04.2024)

©2024 Lapp Group - all rights reserved.

<http://lappkorea.lappgroup.com>

data sheet

PN 0456 / 02_03.16



SKINDICHT® ZSE-M

	(thread) , M1	(thread) , PG	/ PU
SKINDICHT® ZSE-M			
52106000	12 x 1.5	7	100
52106010	16 x 1.5	9	100
52106020	20 x 1.5	11	100
52106030	20 x 1.5	13.5	100
52106040	20 x 1.5	16	50
52104050	20 x 1.5	21	50
52106050	25 x 1.5	21	50
52106060	32 x 1.5	29	25
52106070	40 x 1.5	36	10
52106080	50 x 1.5	42	10
52106090	63 x 1.5	48	10
SKINDICHT® ZSE-M-XL			
52106005	12 x 1.5	7	100
52106015	16 x 1.5	9	100
52106025	20 x 1.5	11	100
52106035	20 x 1.5	13.5	100
52106045	20 x 1.5	16	50
52106055	25 x 1.5	21	50
52106065	32 x 1.5	29	25

(24.04.2024)

©2024 Lapp Group - all rights reserved.

<http://lappkorea.lappgroup.com>

data sheet

PN 0456 / 02_03.16