

SKINDICHT® E-M HYGIENIC



가

Hygienic design with smooth surfaces and contours without corners and edges prevents residues such as liquids and micro-organisms from accumulating and posing a risk of contamination for food processing machinery. This facilitates simple, frequent and safe product cleaning.

Corrects the size difference between the connection thread of a cable gland and the threaded hole in an enclosure.

Provides flexibility in the selection of a cable gland, as the selection is independent to the threaded hole of the enclosure.

Multiple food and beverage certifications for Europe and North America.

Tested resistance to ECOLAB® disinfectants and cleaning agents.

(01.05.2024)

©2024 Lapp Group - all rights reserved.

<http://lappkorea.lappgroup.com>

data sheet

PN 0456 / 02_03.16



SKINDICHT® E-M HYGIENIC

For use with metric SKINTOP® HYGIENIC/SKINTOP® INOX-M cable glands, whose Connection thread is larger than the existing threaded hole.
 Especially for hygiene-critical areas of the food industry, where the product needs to be installed in the product zone or in the direct food production environment.
 Also suitable for use in hygiene-critical areas of the pharmaceutical and chemical industry.
 Withstands high chemical and mechanical stress.

FKM-sealing compliant acc. FDA 21 CFR 177.2600

DIN EN 60423
 DIN IEC 62444

ETIM 5:	ETIM 5.0 Class-ID: EC000441
	ETIM 5.0 :
ETIM 6:	ETIM 6.0 Class-ID: EC000441
	ETIM 6.0 Class :
:	Sealing: RAL 5015 (sky blue)
:	: - V4A (1.4404/316L) : FKM
:	-20°C up to 220°C

가 VAT 가 가 .



SKINDICHT® E-M HYGIENIC

	(thread) , M1	(thread) , M2	(mm)	SW (mm)	(mm)	Ø (mm)	/ PU
52103591	12 x 1.5	16 x 1.5	20.5	20	6.5	22.8	5
52103592	16 x 1.5	20 x 1.5	23	24	7	23.0	5
52103593	20 x 1.5	25 x 1.5	24	29	8	31.8	5
52103594	25 x 1.5	32 x 1.5	26.5	36	8	39.6	5

(01.05.2024)

©2024 Lapp Group - all rights reserved.

<http://lappkorea.lappgroup.com>

data sheet

PN 0456 / 02_03.16