

# SKINDICHT® JT PTFE metric

SKINDICHT® JT PTFE , , , , , , , ,



, , , ,

PTFE , SKINTOP® SKINDICHT®

가 ( ) 가 ,

ETIM 5:

ETIM 5.0 Class-ID: EC001181

ETIM 5.0 :

ETIM 6:

ETIM 6.0 Class-ID: EC001181

ETIM 6.0 Class :

:

:

:

PTFE

-120°C +250°C

: +300°C

(23.04.2024)

©2024 Lapp Group - all rights reserved.

<http://lappkorea.lappgroup.com>

data sheet

PN 0456 / 02\_03.16



## SKINDICHT® JT PTFE metric

가 VAT 가 가 .

(23.04.2024)

©2024 Lapp Group - all rights reserved.

<http://lappkorea.lappgroup.com>

data sheet

PN 0456 / 02\_03.16



# SKINDICHT® JT PTFE metric

	Article designation / size	Ø (mm)	(mm)	Ø (mm)	/ PU
SKINDICHT® JT PTFE metric					
53801030	M 12	12.1	2.0	16.6	100
53801040	M 16	16.1	2.0	21.1	100
53801050	M 20	20.1	2.0	27.5	100
53801060	M 25	25.1	3.0	33.4	50
53801070	M 32	32.1	3.0	40.3	50
53801080	M 40	40.2	3.0	51.5	25
53801090	M 50	50.2	3.0	61.6	25
53801100	M 63	63.2	3.0	73.9	25

(23.04.2024)

©2024 Lapp Group - all rights reserved.

<http://lappkorea.lappgroup.com>

data sheet

PN 0456 / 02\_03.16