


SKINDICHT® SVFK

SKINDICHT® SVFK, PG

(Lips)



가

PG

(23.04.2024)

©2024 Lapp Group - all rights reserved.

<http://lappkorea.lappgroup.com>

data sheet

PN 0456 / 02_03.16

SKINDICHT® SVFK

: SKINDICHT® GMK

ÖLFLEX® LIFT F

ÖLFLEX® CRANE F

ETIM 5:

ETIM 5.0 Class-ID: EC000441

ETIM 5.0 :

ETIM 6:

ETIM 6.0 Class-ID: EC000441

ETIM 6.0 Class :

:

T21

:

(RAL 7035)

:

:

: CR

가:

IP 54

:

-20°C +60°C

가 VAT 가 가 .

(23.04.2024)

©2024 Lapp Group - all rights reserved.

<http://lappkorea.lappgroup.com>

data sheet

PN 0456 / 02_03.16



SKINDICHT® SVFK

| | Article designation / size | / . | / (mm) | SW1/SW2 mm | , C mm | Thread length D mm | / PU |
|-----------------|----------------------------|-------------|------------|-------------|--------|--------------------|------|
| SKINDICHT® SVFK | | | | | | | |
| 52005470 | PG 16 | -- 15.0 | - - 5.0 | 27.0 / 23.0 | 39.5 | 10 | 25 |
| 52005680 | PG 21 | 10.0 / 20.5 | 3.0 - 8.0 | 32.0 / 30.0 | 43.0 | 11 | 25 |
| 52005690 | PG 29 | 15.0 / 27.0 | 4.0 - 11.5 | 42.0 / 41.0 | 45.0 | 11 | 25 |
| 52005700 | PG 36 | 25.0 / 34.0 | 4.0 - 11.5 | 53.0 / 50.0 | 51.0 | 13 | 10 |
| 52005710 | PG 42 | 30.0 / 40.0 | 5.0 - 12.0 | 60.0 / 55.0 | 54.0 | 13 | 5 |
| 52005720 | PG 48 | 35.0 / 45.0 | 5.0 - 12.0 | 65.0 / 60.0 | 55.0 | 15 | 5 |

(23.04.2024)

©2024 Lapp Group - all rights reserved.

<http://lappkorea.lappgroup.com>

data sheet

PN 0456 / 02_03.16