

E+D가 SKINDICHT® SE-M

E+D가 SKINDICHT® SE-M,

, 가



가

(O-) . , ,

2 M20 x 1.5 - M25 x 1.5
4 M32 x 1.5

(24.04.2024)

E+D가 SKINDICHT® SE-M

IP55.

For combination with other SKINDICHT® or SKINTOP® cable glands, we propose our SKINDICHT® SE-M without incised sealing ring (E) and compression screw (D)

ETIM 5: ETIM 5.0 Class-ID: EC000441
ETIM 5.0 :

ETIM 6: ETIM 6.0 Class-ID: EC000441
ETIM 6.0 Class :

: :

가: O- : NBR
IP 55

: -20°C +100°C

가 VAT 가 가 .



E+D71

SKINDICHT® SE-M

	Article designation / size	(mm)	(mm)	(mm)	PU
E+D71	SKINDICHT® SE-M				
52108001	M 20 x 1,5	31.0	42.0	42.0	10
52108011	M 25 x 1,5	40.0	60.0	60.0	5
52108021	M 32 x 1,5	51.5	66.0	76.0	1

(24.04.2024)

©2024 Lapp Group - all rights reserved.

<http://lappkorea.lappgroup.com>

data sheet

PN 0456 / 02_03.16