


SKINTOP® MSR-XL

SKINTOP® MSR-XL,



With reducing seal insert, to seal cables with smaller outer diameters

DIN 40430 PG

(23.04.2024)

SKINTOP® MSR-XL

ETIM 5:

ETIM 5.0 Class-ID: EC000441

ETIM 5.0 :

ETIM 6:

ETIM 6.0 Class-ID: EC000441

ETIM 6.0 Class :

:

T21

:

:

: CR

O- : NBP

가:

IP 68 - 5 bar

:

Dynamic: -25°C up to +100°C

: -40°C ~ +100°C

가 VAT 가 가 .

(23.04.2024)

©2024 Lapp Group - all rights reserved.

<http://lappkorea.lappgroup.com>

data sheet

PN 0456 / 02_03.16



SKINTOP® MSR-XL

| | Article designation / size | Ø F mm | SW (mm) | , C mm | Thread length D mm | / PU |
|-----------------|----------------------------|-------------|---------|--------|--------------------|------|
| SKINTOP® MSR-XL | | | | | | |
| 52115770 | PG 7 | 2.0 - 5.0 | 14 | 32.0 | 12 | 100 |
| 52115780 | PG 9 | 2.0 - 6.0 | 17 | 35.0 | 12 | 100 |
| 52115790 | PG 11 | 3.0 - 7.0 | 20 | 38.0 | 12 | 50 |
| 52115800 | PG 13,5 | 4.0 - 9.0 | 22 | 39.5 | 12 | 50 |
| 52115810 | PG 16 | 6.0 - 13.0 | 24 | 40.5 | 12 | 50 |
| 52115820 | PG 21 | 8.0 - 16.0 | 30 | 45.0 | 12 | 25 |
| 52115830 | PG 29 | 10.5 - 20.0 | 40 | 52.0 | 15 | 25 |

(23.04.2024)

©2024 Lapp Group - all rights reserved.

<http://lappkorea.lappgroup.com>

data sheet

PN 0456 / 02_03.16