


# SKINTOP® ST Small PU

SKINTOP® ST,



( , - )

(23.04.2024)

# SKINTOP® ST Small PU

UL E79903

PG

SKINTOP® PG

: SKINTOP® GMP-GL

ETIM 5:

ETIM 5.0 Class-ID: EC000441

ETIM 5.0 :

ETIM 6:

ETIM 6.0 Class-ID: EC000441

ETIM 6.0 Class :

:

T21

:

( : RAL 7001)

:

:

: CR

:

GGVS: TÜ.EGG.020-95

가:

IP 68 - 5 bar

:

: -20°C ~ +100°C

: -40°C +100°C

가 VAT 가 가 .

(23.04.2024)

©2024 Lapp Group - all rights reserved.

<http://lappkorea.lappgroup.com>

data sheet

PN 0456 / 02\_03.16



# SKINTOP® ST Small PU

	Article designation / size	Ø F mm	SW (mm)	, C mm	Thread length D mm	/ PU
53110154	ST 7	2.5 - 6.5	15	32.0	8	10
53110155	ST 9	3.5 - 8	19	36.0	8	10
53110156	ST 11	4 - 10	22	38.0	8	10
53110157	ST 13,5	6 - 12	24	41.0	9	10
53110158	ST 16	9 - 14	27	44.0	10	10
53110159	ST 21	13 - 18	33	49.0	11	5
53110160	ST 29	14 - 25	42	56.0	11	5
53110161	ST 36	24 - 32	53	66.0	13	5
53110162	ST 42	35 - 38	60	68.0	13	5
53110163	ST 48	39 - 44	65	69.0	14	5
SKINTOP® ST VPE +						
53110080	ST 7 + GMP-GL	2.5 - 6.5	15	32.0	8	10
53110081	ST 9 + GMP-GL	3.5 - 8	19	36.0	8	10
53110082	ST 11 + GMP-GL	4 - 10	22	38.0	8	10
53110083	ST 13,5 + GMP-GL	6 - 12	24	41.0	9	10
53110084	ST 16 + GMP-GL	9 - 14	27	44.0	10	10
53110085	ST 21 + GMP-GL	13 - 18	33	49.0	11	5
53110086	ST 29 + GMP-GL	14 - 25	42	56.0	11	5
53110087	ST 36 + GMP-GL	24 - 32	53	66.0	13	5
53110088	ST 42 + GMP-GL	35 - 38	60	68.0	13	5
53110089	ST 48 + GMP-GL	39 - 44	65	69.0	14	5