

SKINTOP® HYGIENIC SC

SKINTOP® HYGIENIC / SKINTOP® HYGIENIC-R,

가

New: Available up to size M40x1,5

, 가 가

No gaps, voids or outer lying thread - so no risk of contamination of food machines, facilities or components



- , EMC

EMC

가

(24.04.2024)

©2024 Lapp Group - all rights reserved.

<http://lappkorea.lappgroup.com>

data sheet

PN 0456 / 02_03.16



SKINTOP® HYGIENIC SC

EMC

EHEDG (TYPE EL Class I AUX)
()
ECOLAB®

FDA 21 CFR 177.2600

DIN EN 1672-2

DIN EN ISO 14159
Security of machinery – Hygienic requirements for the design of machinery
NSF/ANSI 169

DIN EN 60423
DIN IEC 62444

SKINDICHT® SM-PE-M

ETIM 5:

ETIM 5.0 Class-ID: EC000441

ETIM 5.0 :

ETIM 6:

ETIM 6.0 Class-ID: EC000441

ETIM 6.0 Class :

:

UL approval for M32x1,5 and M40x1,5 pending

:

: - V4A (1.4404/316L)

:

:

가:

IP 68 - 10 bar

IP 69

NEMA Type 1, 2, 4x, 6, 12

:

-20°C +100°C

가

가 VAT 가 가 .

(24.04.2024)

©2024 Lapp Group - all rights reserved.

<http://lappkorea.lappgroup.com>

data sheet

PN 0456 / 02_03.16

SKINTOP® HYGIENIC SC

	Article designation / size	Ø F mm	SW (mm)	, C mm	Thread length D mm	/ PU
SKINTOP® HYGIENIC SC						
53105300	M 12 x 1,5	4 - 6	16	38.4	6.5	5
53105301	M 16 x 1,5	6.5 - 9	20	41.4	7	5
53105302	M 20 x 1,5	9 - 12	24	46.4	8	5
53105303	M 25 x 1,5	11.5 - 15.5	29	48.9	8	5
53105314	M 32 x 1,5	16 - 20	36	56.0	9	5
53105315	M 40 x 1,5	22 - 27	45	62.0	9	5

(24.04.2024)


©2024 Lapp Group - all rights reserved.

<http://lappkorea.lappgroup.com>

data sheet

PN 0456 / 02_03.16

SKINTOP® HYGIENIC SC



(24.04.2024)

©2024 Lapp Group - all rights reserved.

<http://lappkorea.lappgroup.com>

data sheet

PN 0456 / 02_03.16