

# ETHERLINE® EC FD Cat.5e

EtherCAT

Cat.5e



(24.04.2024)

©2024 Lapp Group - all rights reserved.

<http://lappkorea.lappgroup.com>

data sheet

PN 0456 / 02\_03.16

# ETHERLINE® EC FD Cat.5e

가

EtherCAT EtherNet/IP  
 ( ( : EtherCat - ) , 가 가 )  
 ( 60 m)

Cat.5e class D

UL 444 CSA C22.2 no. 214-02 UL/CSA CMX  
 , UL VW1/CSA FT1  
 VDE 0472-815

, 26AWG (19 x 0.10), (0.14 mm<sup>2</sup>)

: PE

: / - ; / -

SF / UTP :

: PUR

: (RAL 6018 )

ETIM 5:

ETIM 5.0 Class-ID: EC000830

ETIM 5.0 Class- :

ETIM 6:

ETIM 6.0 Class-ID: EC000830

ETIM 6.0 Class :

: . 100 V ( )

: : 4 x

Flexing: 16 x

:: 100 IEC 61156-5

: : -40°C +80°C

: -30°C ~ +50°C

, 가 가 가 . ( . ) 가 .  
 가

가 VAT 가 가 .

(24.04.2024)

©2024 Lapp Group - all rights reserved.

<http://lappkorea.lappgroup.com>

data sheet

PN 0456 / 02\_03.16



## ETHERLINE® EC FD Cat.5e

Article number		AWG	(mm)	mm	(kg/km)	(kg/km)
2170433	ETHERLINE® P EC FD Cat.5e	1 x 4 x AWG26/19	1	4.8	20	36

(24.04.2024)

©2024 Lapp Group - all rights reserved.

<http://lappkorea.lappgroup.com>

data sheet

PN 0456 / 02\_03.16