


ETHERLINE® EC FLEX Cat.5e

LAN

가

EtherCAT
Cat.5e

(60 m)



Lapp



가

EtherCAT

EtherNet/IP

(7 가)

(: 가)

(60 m)

(24.04.2024)

©2024 Lapp Group - all rights reserved.

<http://lappkorea.lappgroup.com>

data sheet

PN 0456 / 02_03.16

ETHERLINE® EC FLEX Cat.5e

가 PUR() ,UV-

: UL/CSA CMX UL 444 CSA C22.2 No.214
, UL VW1/CSA FT1

7
: PE
: / - ; / -

SF / UTP :
PVC PUR
: (RAL 6018)

ETIM 5: ETIM 5.0 Class-ID: EC000830
ETIM 5.0 Class- :

ETIM 6: ETIM 6.0 Class-ID: EC000830
ETIM 6.0 Class :

: . 100 V ()

: : 4 x

.: : 8 x

.: 100 IEC 61156-5

:

PVC: -30°C ~ +80°C

PUR: -40°C ~ +80°C

PVC: -5°C ~ +50°C

PUR: -30°C ~ +50°C

, 가 가 가 . (.) 가 .
가

가 VAT 가 가 .



ETHERLINE® EC FLEX Cat.5e

Article number		AWG	(mm)	mm	(kg/km)	(kg/km)
PVC						
2170430	ETHERLINE® Y EC FLEX Cat.5e	1 x 4 x AWG26/7	1	4.8	20	32
PUR						
2170431	ETHERLINE® P EC FLEX Cat.5e	1 x 4 x AWG26/7	1	4.8	20	31

(24.04.2024)

©2024 Lapp Group - all rights reserved.

<http://lappkorea.lappgroup.com>

data sheet

PN 0456 / 02_03.16



ETHERLINE® EC FLEX Cat.5e



(24.04.2024)

©2024 Lapp Group - all rights reserved.

<http://lappkorea.lappgroup.com>

data sheet

PN 0456 / 02_03.16