


ETHERLINE® P Flex Cat.5e M12

M12
, Cat.5e, M12, D , PUR,

가
www.lappgroup.com/assemblyfinderor







Lapp



ETHERLINE® P Flex Cat.5e M12

EtherCAT EtherNet/IP

Cat.5e class D
2 : , 10/100Mbit/s

Braided conductor, 2x2x AWG26/7

:()
PUR : (RAL 5021 M12 D) 가

ETIM 5:	ETIM 5.0 Class-ID: EC002599
	ETIM 5.0 class : ()
ETIM 6:	ETIM 6.0 Class-ID: EC002599
	ETIM 6.0 Class :
:	: 15 x
	: 8 x
가:	IP69
:	: -5 ° C ~ + 50 ° C (UL : + 80 ° C)
	: -30°C +80°C

, 가 가 . (.) 가 .
가 VAT 가 가 .



ETHERLINE® P Flex Cat.5e M12

Article number		(m)	kg/1.000 pieces
M12	M12		
2171097	IE-5-M12D-S-1-P-2-26-7-M12D-S	1	19
2171098	IE-5-M12D-S-2-P-2-26-7-M12D-S	2	38
2171099	IE-5-M12D-S-3-P-2-26-7-M12D-S	3	57
2171100	IE-5-M12D-S-5-P-2-26-7-M12D-S	5	95
2171101	IE-5-M12D-S-10-P-2-26-7-M12D-S	10	190
2171102	IE-5-M12D-S-20-P-2-26-7-M12D-S	20	380
	M12		
2171103	IE-5-M12D-S-1-P-2-26-7-OE	1	19
2171104	IE-5-M12D-S-2-P-2-26-7-OE	2	38
2171105	IE-5-M12D-S-3-P-2-26-7-OE	3	57
2171106	IE-5-M12D-S-5-P-2-26-7-OE	5	95
2171107	IE-5-M12D-S-10-P-2-26-7-OE	10	190
2171108	IE-5-M12D-S-20-P-2-26-7-OE	20	380

(24.04.2024)

©2024 Lapp Group - all rights reserved.

<http://lappkorea.lappgroup.com>

data sheet

PN 0456 / 02_03.16

ETHERLINE® P Flex Cat.5e M12



(24.04.2024)

©2024 Lapp Group - all rights reserved.

<http://lappkorea.lappgroup.com>

data sheet

PN 0456 / 02_03.16