


ETHERLINE® Cat.5e 105 plus

Cat 5e, 가 class D

Cat.5 , PROFINET Type B
2x2x2AWG22/7
105°C

PROFINET

CAT.5-



가

(24.04.2024)

ETHERLINE® Cat.5e 105 plus

2 : , 10/100Mbit/s

EtherCAT EtherNet/IP
 , , ,

EMC
 105°C, 120°C

IEC 61156-5
 IEC 60332-1-2

7-가 ,
 : PE
 Colour-coded in accordance with PROFINET for Cat.5e applications
 :
 : TPE
 : (RAL 6018)

ETIM 5:	ETIM 5.0 Class-ID: EC000830
	ETIM 5.0 Class- :
ETIM 6:	ETIM 6.0 Class-ID: EC000830
	ETIM 6.0 Class :
:	: 10 x
	: 15 x
..:	100 ± 15%
:	: -40°C to +105°C
	: -30°C to +105°C

가 : EUR 100 , 150 kg. 가 가 . (.) 가 .
 PROFINET® PNO (PROFIBUS) T17 .
 가 . /
 가 VAT 가 가 .



ETHERLINE® Cat.5e 105 plus

Article number		AWG	(mm)	mm	(kg/km)	(kg/km)
2170636	ETHERLINE® Cat.5e 105 plus	2x2xAWG22/7	1.5	6.2	30.4	59

(24.04.2024)

©2024 Lapp Group - all rights reserved.

<http://lappkorea.lappgroup.com>

data sheet

PN 0456 / 02_03.16