

# ETHERLINE® FESTOON PN Cat.5e

Cat 5e, Festoon

class D -

100MHz

Cat.5e, Festoon


PROFINET

Type C

2x2xAWG22/7

UL

FC  
PROFINET  
CAT.5-



Lapp



(24.04.2024)



# ETHERLINE® FESTOON PN Cat.5e

가

2 : , 10/100Mbit/s

( )

100Mbit/s : 85m  
EtherCAT EtherNet/IP

Cat.5e  
Festoon

(FC)  
PVC 가

: UL/CSA (CMG)

UL AWM Style 21694  
IEC 60332-3-24 FT4

Cat.5e PROFINET

: PVC

:

PVC

: (RAL 6018 )

ETIM 5:

ETIM 5.0 Class-ID: EC000830

ETIM 5.0 Class- :

ETIM 6:

ETIM 5.0/6.0 Class-ID: EC000830

ETIM 5.0/6.0 Class :

: ( ) 125 V

: 10 x

: 4 x

: Core/core: 2000 V

Core/screen: 2000 V

∴ 100 IEC 61156-6

: -40°C +80°C

: -10°C +70°C

가 가 ( . ) 가 .

(24.04.2024)

©2024 Lapp Group - all rights reserved.

<http://lappkorea.lappgroup.com>

data sheet

PN 0456 / 02\_03.16



# ETHERLINE® FESTOON PN Cat.5e

가 : EUR 100 150 kg.  
www.lappkabel.de/en/cable-standradlengths  
: 30 kg or 250 m,  
PROFINET® PNO (PROFIBUS )

T17

가

가 VAT 가 가  
UL-Zertifizierungen sind dem Datenblatt zu entnehmen

(24.04.2024)



ETHERLINE® FESTOON PN Cat.5e

Article number		AWG	(mm)	mm	(kg/km)
2170936	ETHERLINE® FESTOON PN Cat.5e	2x2xAWG22/7	1	6.5	32

(24.04.2024)

©2024 Lapp Group - all rights reserved.

<http://lappkorea.lappgroup.com>

data sheet

PN 0456 / 02\_03.16