

ETHERLINE® FESTOON PN Cat.5e

Cat 5e, Festoon

class D -

100MHz

Cat.5e, Festoon


PROFINET

Type C

2x2xAWG22/7

UL

FC
PROFINET
CAT.5-



Lapp



(23.04.2024)



ETHERLINE® FESTOON PN Cat.5e

가

2 : , 10/100Mbit/s

()

100Mbit/s : 85m
EtherCAT EtherNet/IP

Cat.5e
Festoon

(FC)
PVC 가

: UL/CSA (CMG)

UL AWM Style 21694
IEC 60332-3-24 FT4

Cat.5e PROFINET

: PVC

:

PVC

: (RAL 6018)

ETIM 5:

ETIM 5.0 Class-ID: EC000830

ETIM 5.0 Class- :

ETIM 6:

ETIM 5.0/6.0 Class-ID: EC000830

ETIM 5.0/6.0 Class :

: () 125 V

: 10 x

: 4 x

: Core/core: 2000 V

Core/screen: 2000 V

.. 100 IEC 61156-6

: -40°C +80°C

: -10°C +70°C

가 가 . (.) 가 .

(23.04.2024)

©2024 Lapp Group - all rights reserved.

<http://lappkorea.lappgroup.com>

data sheet

PN 0456 / 02_03.16



ETHERLINE® FESTOON PN Cat.5e

가 : EUR 100 150 kg.
www.lappkabel.de/en/cable-standradlengths
: 30 kg or 250 m,
PROFINET® PNO (PROFIBUS)

T17

가

가 VAT 가 가
UL-Zertifizierungen sind dem Datenblatt zu entnehmen

(23.04.2024)



ETHERLINE® FESTOON PN Cat.5e

Article number		AWG	(mm)	mm	(kg/km)
2170936	ETHERLINE® FESTOON PN Cat.5e	2x2xAWG22/7	1	6.5	32

(23.04.2024)

©2024 Lapp Group - all rights reserved.

<http://lappkorea.lappgroup.com>

data sheet

PN 0456 / 02_03.16