


UNITRONIC® LAN OUTDOOR

Ethernet cable for Category 7/ class F - verified up to 1000 MHz, for outdoor applications

Data cable for Category 7/ class F - suitable for outdoor use



EN 50173 ISO/IEC 11801

LAN

UV-

3 90 m + (10 m) ISO/IEC 11801 EN 50173 ,100 m . (

IEEE 802.3: 10/100/1000Base-T, 10GBase-T IEEE 802.5: ISDN; FDDI; ATM;

Lapp Kabel LAN CAT.5e EIA/TIA-568 TSB36 ISO/IEC 11801 EN 50173 (F -)

4x2xAWG23/1

(24.04.2024)



UNITRONIC® LAN OUTDOOR

: PE
 S/FTP:
 : PE,
 (L) PE, 가

ETIM 6:

ETIM 6.0 Class-ID: EC000830

ETIM 6.0 Class :

:

: 4 x

: 8 x

::

100 ± 15%

:

: -10°C bis +50°C

: -30°C +70°C

:

가 VAT 가 가 .

(24.04.2024)

©2024 Lapp Group - all rights reserved.

<http://lappkorea.lappgroup.com>

data sheet

PN 0456 / 02_03.16



UNITRONIC® LAN OUTDOOR

Article number		AWG	(mm)	mm		(kg/km)	(kg/km)
2170978	ETHERLINE® LAN Cat.7 S/FTP 4x2AWG23 PE	4 x 2 x AWG23/1	1.3	7.7		24	48
Suitable for direct routing underground, transversely waterproof							
2170977	ETHERLINE® LAN Cat.7 S/FTP 4x2AWG23 (L)PE	4 x 2 x AWG23/1	1.3	9.6		24	77

(24.04.2024)


©2024 Lapp Group - all rights reserved.

<http://lappkorea.lappgroup.com>

data sheet

PN 0456 / 02_03.16

UNITRONIC® LAN OUTDOOR



(24.04.2024)

©2024 Lapp Group - all rights reserved.

<http://lappkorea.lappgroup.com>

data sheet

PN 0456 / 02_03.16