

EPIC® DATA CAN M12T

CAN / DeviceNet / S / A

M12 T



DeviceNet

CANopen

(IP65 / IP67)

T-

M12



DeviceNet CANopen



Lapp



/
Space-saving due to compact dimensions.

CANopen/DeviceNet
(A-)
LABS frei

5-
M12 M12 M12

ETIM 5:

ETIM 5.0 Class-ID: EC002585

ETIM 5.0 Class-Description: Passive sensor-actuator interface

ETIM 6:

ETIM 6.0 Class-ID: EC002585

ETIM 6.0 Class : /

:

: CuZn : Ni / Au

: TPU GF Knurl :

: TPU, , :

(24.04.2024)

©2024 Lapp Group - all rights reserved.

<http://lappkorea.lappgroup.com>

data sheet

PN 0456 / 02_03.16



EPIC® DATA CAN M12T

가:	NBR
():	IP65/IP67
:	Plug/socket -25°C to +90°C
(A):	A - Standard (CANopen/DeviceNet/CC-Link)
	4 A

DeviceNet ODVA .
가 VAT 가 가 .



EPIC® DATA CAN M12T

		/	(V)	PU
T				
22260765	AB-C5-M12T-2XM12FS DN	5	60	5

(24.04.2024)

©2024 Lapp Group - all rights reserved.

<http://lappkorea.lappgroup.com>

data sheet

PN 0456 / 02_03.16