





# UNITRONIC® BUS PB ARM

ETIM 5:	ETIM 5.0 Class-ID: EC000830
	ETIM 5.0 Class- :
ETIM 6:	ETIM 6.0 Class-ID: EC000830
	ETIM 6.0 Class :
:	(800 Hz): max. 30 nF/km
:	( ) 100 V
:	: 7.5 x
:	: 3.5 x , 1
:	3600 V DC (3 )
∴	150 ± 15 Ohm
:	-40°C +70°C

가 가 ( . ) 가 .  
[www.lappkabel.de/en/cable-standradlengths](http://www.lappkabel.de/en/cable-standradlengths)  
 : 30 kg or 250 m,  
 . (e.g. 1 x 500 m or 5 x 100 m ).  
 SIMATIC® SIEMENS AG . FIP World FIP .  
 Lapp Kabel PROFIBUS user organisation (PNO)  
 가 VAT 가 가 .



# UNITRONIC® BUS PB ARM

		( ) x ( ) x (mm)	(mm)	(kg/km)	(kg/km)
2170247	UNITRONIC® BUS PB ARM	1 x 2 x 0.65	11.1	86.9	131

(24.04.2024)

©2024 Lapp Group - all rights reserved.

<http://lappkorea.lappgroup.com>

data sheet

PN 0456 / 02\_03.16