

EPIC® SENSOR M12 V4A

. /

M12

M12



Lapp



Space-saving due to compact dimensions.
Easy connection with proven screw clamp connection

SKINTOP®

EPIC® SENSOR M12 V4A

LABS frei

ETIM 5:

ETIM 5.0 Class-ID: EC002062

ETIM 5.0 :

ETIM 6:

ETIM 6.0 Class-ID: EC002062

ETIM 6.0 Class :

:

: CuZn : Au (), : (V4A)

가:

IP 67

():

/
-40°C +85°C

:

A-Standard

(A):

4 A

가 VAT 가 가 .

(24.04.2024)

©2024 Lapp Group - all rights reserved.

<http://lappkorea.lappgroup.com>

data sheet

PN 0456 / 02_03.16



EPIC® SENSOR M12 V4A

		/	(mm²)	Cable diameter in mm	(V)	PU
22262049	AB-C4-M12MS-PG7-VA	4	0.25 - 0.75	4 - 6	250	1
22262123	AB-C4-M12MS-PG7-VA-SKINTOP	4	0.25 - 0.75	4.0 - 6.5	250	1
22262050	AB-C4-M12FS-PG7-VA	4	0.25 - 0.75	4 - 6	250	1
22262124	AB-C4-M12FS-PG7-VA-SKINTOP	4	0.25 - 0.75	4.0 - 6.5	250	1
22262051	AB-C4-M12FA-PG7-VA	4	0.25 - 0.75	4 - 6	250	1