

UNITRONIC® SENSOR PVC M8

M8 /
/ 3-4 , M8 / M8 , A , PVC, IP65/IP67/IP68

www.lappgroup.com/assemblyfinder 가



Lapp



Space-saving due to compact dimensions.

LABS frei

(22.05.2024)

©2024 Lapp Group - all rights reserved.

<http://lappkorea.lappgroup.com>

data sheet

PN 0456 / 02_03.16

UNITRONIC® SENSOR PVC M8

: 2464
UL : E249137

: 0.25 mm²

: 3-pin: bn (1), bu (3), bk (4) 4-pin: bn (1), wh (2), bu (3), bk (4)
: PVC,

ETIM 5:

ETIM 5.0 Class-ID: EC001855
ETIM 5.0 Class: -

: : CuSn : Ni/Au ,
: TPU, ,

가:

IP65/IP67/IP68

():

/
-25°C +90°C (PUR/PVC)
: -25°C to +80°C, () : -5 °C ~ 80 °C

:

A-Standard

(A):

4 A

, 가 가 . (.) 가 .

가 VAT 가 가 .

UL-Zertifizierungen sind dem Datenblatt zu entnehmen

(22.05.2024)

©2024 Lapp Group - all rights reserved.

<http://lappkorea.lappgroup.com>

data sheet

PN 0456 / 02_03.16

UNITRONIC® SENSOR PVC M8

		/	Length (m)	Design	(V)	PU
22260847	AB-C3-M8MS-2,0PVC	3	2		60	1
22260665	AB-C3-M8MS-5,0PVC	3	5		60	1
22260848	AB-C3-M8MS-10,0PVC	3	10		60	1
22262093	AB-C3-2,0PVC-M8FA	3	2		60	1
22262081	AB-C3-5,0PVC-M8FA	3	5		60	1
22260370	AB-C3-10,0PVC-M8FA	3	10		60	1
22262105	AB-C4-M8MS-2,0PVC	4	2		30	1
22262106	AB-C4-M8MS-5,0PVC	4	5		30	1
22262107	AB-C4-M8MS-10,0PVC	4	10		30	1
22260846	AB-C4-2,0PVC-M8FA	4	2		30	1
22260845	AB-C4-5,0PVC-M8FA	4	5		30	1
22260844	AB-C4-10,0PVC-M8FA	4	10		30	1
22260169	AB-C4-M8MS-1,0PVC-M8FS	4	1	-	30	-
22260170	AB-C4-M8MS-2,0PVC-M8FS	4	2	-	30	-
22260171	AB-C4-M8MS-5,0PVC-M8FS	4	5	-	30	-
22260172	AB-C4-M8MS-10,0PVC-M8FS	4	10	-	30	-