


UNITRONIC® SENSOR M12Y-M12

M12 Y 2x M12

/ - , Y- 3-pole, 2-x Y- M12, A-coded, PUR LSZH,



Lapp



Space-saving due to compact dimensions.

4 M12Y - 2x M8 (3)
2 x M12 (4) 4 M12Y ,
2+4

LABS frei

M12Y-M8: 3 x 0.25 mm²

(26.02.2024)

©2024 Lapp Group - all rights reserved.

<http://lappkorea.lappgroup.com>

data sheet

PN 0456 / 02_03.16

UNITRONIC® SENSOR M12Y-M12

M12Y-M12: 3 x 0.34 mm²

() : , ,
: PUR, ,

ETIM 5:

ETIM 5.0 Class-ID: EC001855
ETIM 5.0 Class: -

ETIM 6:

ETIM 6.0 Class-ID: EC001855
ETIM 6.0 Class :

: : CuSn : Ni/Au ,
: TPU, ,

가:

IP65/IP67/IP68

():

Plug/socket -25°C to +90°C

-40°C - +80°C

-25°C - +80°C

:

A-Standard

(A):

4 A

, 가 가 . (.) 가 .

가 VAT 가 가 .

UL-Zertifizierungen sind dem Datenblatt zu entnehmen

(26.02.2024)

©2024 Lapp Group - all rights reserved.

<http://lappkorea.lappgroup.com>

data sheet

PN 0456 / 02_03.16

UNITRONIC® SENSOR M12Y-M12

		/	(m)	LED	(V)	PU
22260501	AB-C3-M12Y-0,3PUR-M12FS-B	3	0.3	no	250	1
22260502	AB-C3-M12Y-0,6PUR-M12FS-B	3	0.6	no	250	1
22260503	AB-C3-M12Y-1,0PUR-M12FS-B	3	1	no	250	1
22260504	AB-C3-M12Y-2,0PUR-M12FS-B	3	2	no	250	1
Angled socket						
22260505	AB-C3-M12Y-0,3PUR-M12FA-B	3	0.3	no	250	1
22260506	AB-C3-M12Y-0,6PUR-M12FA-B	3	0.6	no	250	1
22260507	AB-C3-M12Y-1,0PUR-M12FA-B	3	1	no	250	1
22260508	AB-C3-M12Y-2,0PUR-M12FA-B	3	2	no	250	1
Angled socket with LEDs						
22260509	AB-C3-M12Y-0,3PUR-M12FA-2L-B	3	0.3	2 LEDs	24	1
22260510	AB-C3-M12Y-0,6PUR-M12FA-2L-B	3	0.6	2 LEDs	24	1
22260511	AB-C3-M12Y-1,0PUR-M12FA-2L-B	3	1	2 LEDs	24	1
22260512	AB-C3-M12Y-2,0PUR-M12FA-2L-B	3	2	2 LEDs	24	1