


EPIC® POWER LS1

EPIC® POWER LS1

Made in Germany

가



(24.04.2024)



EPIC® POWER LS1

가 VAT 가 가 .

(24.04.2024)



EPIC® POWER LS1

		Version			/ PU
1mm contacts, female, crimp					
74020601	-	1 mm	0.14 - 1.0 mm ²	M23 (D-Sub), LS1 D6, LS1 A6	10
74200600	-	1 mm	0.14 - 1.0 mm ²	M23 (D-Sub), LS1 D6, LS1 A6	100
74034501	-	1 mm mm ²	0.14 - 1.0	M23 (D-Sub), LS1 D6, LS1 A6	10
74034500	-	1 mm mm ²	0.14 - 1.0	M23 (D-Sub), LS1 D6, LS1 A6	100
2mm contacts, female, crimp					
44429371	-	2 mm	0,5-2,5mm ²	LS1 D6, A6	10
44429370	POWER LS1 D BCMF 2mm AU 0.5-2.5	2 mm	0,5-2,5mm ²	LS1 D6, A6	-
44420104	POWER LS1 D BCMD 2mm AU 4.0	2 mm	4 mm ²	D6, A6	-
44420105	POWER LS1 D BCMD 2mm AU 4.0	2 mm	4 mm ²	D6, A6	-
44429001	POWER LS1 BCBG 2mm 1.0-2.5 (3000) RE	2 mm female 1.0 - 2.5 mm ²		LS1 D6, A6	-

(24.04.2024)


©2024 Lapp Group - all rights reserved.

<http://lappkorea.lappgroup.com>

data sheet

PN 0456 / 02_03.16

EPIC® POWER LS1



(24.04.2024)