

POWERLOCK BOX C*

POWERLOCK BOX 660A 19 Zoll ,

가



(PE, N, L1, L2, L3)

가

IP 20 가

가

(22.02.2024)

©2024 Lapp Group - all rights reserved.

<http://lappkorea.lappgroup.com>

data sheet

PN 0456 / 02_03.16

POWERLOCK BOX C*

M12

2HE/2U 19"

ETIM 5:

ETIM 5.0 Class-ID: EC002635

ETIM 5.0 class : ()

ETIM 6:

ETIM 6.0 Class-ID: EC002635

ETIM 6.0 Class : ()

(V):

1000V

(A):

. 660 A

:

3

:

Crimp termination:

/ :

4 + PE

:

: 35 - 240 mm²

가:

IP 65 (latched)

:

500

:

-25°C ... +85°C

*

,

가 VAT 가 가 .

(22.02.2024)

©2024 Lapp Group - all rights reserved.

<http://lappkorea.lappgroup.com>

data sheet

PN 0456 / 02_03.16



POWERLOCK BOX C*

	Article description		
44420288	POWERLOCK BOX A1 C	Ø 6.5 mm (4x)	4+PE
POWERLOCK BOX A1, M12 가			
44420289	POWERLOCK BOX A1 CD	Ø 6.5 mm (4x)	4+PE
POWERLOCK BOX A6, M12 가			
44420284	POWERLOCK BOX A6 C	Ø 6.5 mm (4x)	4+PE
POWERLOCK BOX A6, M12 가			
44420285	POWERLOCK BOX A6 CD	Ø 6.5 mm (4x)	4+PE

(22.02.2024)

©2024 Lapp Group - all rights reserved.

<http://lappkorea.lappgroup.com>

data sheet

PN 0456 / 02_03.16

POWERLOCK BOX C*



(22.02.2024)

©2024 Lapp Group - all rights reserved.

<http://lappkorea.lappgroup.com>

data sheet

PN 0456 / 02_03.16