

# EPIC® ULTRA H-A 3 TG

(EMC )

EPIC® Rectangular connector housing, hood, straight cable entry, EMC protection, corrosion resistant, UL50E, Nema250

EMC

Made in Germany



**CE UK  
CA**



Lapp



(21.07.2024)

©2024 Lapp Group - all rights reserved.

<http://lappkorea.lappgroup.com>

data sheet

PN 0456 / 02\_03.16

## EPIC® ULTRA H-A 3 TG



The EPIC® ULTRA H-A 3 range comprises the smallest EMC housings in the heavy-duty industrial connector sector and ensures safe plug connections in a small amount of space.  
 The hood housing is mateable with many commercially available housings (panel-mount base, surface-mount base or coupler hood housings).  
 Space-saving due to compact dimensions.  
 Corresponds to protection class IP 65 when locked.  
 Protection class classified according to NEMA 250 as well as tested according to UL50E.  
 The arrow as a new design element on the surface of the housing is easy to feel and simplifies plugging in spatially confined and possibly poorly visible application areas.

To protect the connector insert from environmental influences.  
 Especially for environments where the product is getting into contact with water, cleaning agents and saline substances.  
 Especially for environments where electromagnetic compatibility (EMC) is required.  
 For use with many EPIC® rectangular connector inserts.

Withstands high environmental and mechanical stresses.

IEC 68-2-52, 2  
 DIN EN ISO 9227 , NSS, 480  
 DIN EN 6988 -

ETIM 5: ETIM 5.0 Class-ID: EC000437  
 ETIM 5.0 class :  
 ETIM 6: ETIM 6.0 Class-ID: EC000437  
 ETIM 6.0 Class-Description: Housing for industrial connectors  
 :  
 7f: IP 65  
 NEMA 250, UL50E: 12, 4, 4X (latched)  
 VDE- : : VDE-REG. : B437  
 UL- :  
 UL : E75770  
 : -40°C to +100°C, short-term up to +125°C

(21.07.2024)



## EPIC® ULTRA H-A 3 TG

가 VAT 가 가 .

(21.07.2024)

©2024 Lapp Group - all rights reserved.

<http://lappkorea.lappgroup.com>

data sheet

PN 0456 / 02\_03.16



## EPIC® ULTRA H-A 3 TG

|          | Article description  | M  | Packaging unit |
|----------|----------------------|----|----------------|
| 10423300 | EPIC® ULTRA H-A 3 TG | 20 | 10             |

(21.07.2024)

©2024 Lapp Group - all rights reserved.

<http://lappkorea.lappgroup.com>

data sheet

PN 0456 / 02\_03.16