

EPIC® ULTRA H-B 16 TGH QB 2x

(EMC)

EPIC® EMC , , UL50E, Nema250

EMC

SKINTOP®



(23.12.2023)

©2023 Lapp Group - all rights reserved.

<http://lappkorea.lappgroup.com>

data sheet

PN 0456 / 02_03.16

EPIC® ULTRA H-B 16 TGH QB 2x

, - 360°

가

EMC-

(. ,)

BRUSH 가, BRUSH

DIN EN 6988

IEC 68-2-52, 2 -

DIN EN ISO 9227

, NSS,

480

ETIM 5:

ETIM 5.0 Class-ID: EC000437

ETIM 5.0 class :

ETIM 6:

ETIM 6.0 Class-ID: EC000437

ETIM 6.0 Class-Description: Housing for industrial connectors

:

: - -

:

: NBR

:

: PA

:

가:

IP 67

NEMA 250, UL50E: 12, 4, 4X (latched)

:

-40°C ~ +100°C

가 VAT 가 가 .

(23.12.2023)

©2023 Lapp Group - all rights reserved.

<http://lappkorea.lappgroup.com>

data sheet

PN 0456 / 02_03.16

EPIC® ULTRA H-B 16 TGH QB 2X

	Article description	Clamping range in mm	(mm) Ø ,	/ PU
H-B : (,)				
70250271	EPIC ULTRA H-B 16 TGH QB 2X 7-15	7.0 - 15.0	-	1
70250272	EPIC ULTRA H-B 16 TGH QB 2X 7-15 BRUSH	7.0 - 15.0	6	1
70250273	EPIC ULTRA H-B 16 TGH QB 2X 11-21	11.0 - 21.0	-	1
70250262	EPIC ULTRA H-B 16 TGH QB 2X 11-21 BRUSH	11.0 - 21.0	6	1