


DYMO® Industry Rhino Pro 4200

DYMO® Industry Rhino Pro 4200

DYMO®

가

, ABC



(QWERTY)

(61800150)

ETIM 5:

ETIM 5.0 Class-ID: EC000608

(24.04.2024)

©2024 Lapp Group - all rights reserved.

<http://lappkorea.lappgroup.com>

data sheet

PN 0456 / 02 03.16

DYMO® Industry Rhino Pro 4200

ETIM 6:

ETIM 5.0 class :

ETIM 6.0 Class-ID: EC000608

ETIM 6.0 Class :

:

:

: (UL224), 3: 1

:

: -18°C ~ +90°C

: -18°~ 135°C

DYMO® Sanford GmbH,a Newell maid Company .

가 VAT 가 가 .

(24.04.2024)

©2024 Lapp Group - all rights reserved.

<http://lappkorea.lappgroup.com>

data sheet

PN 0456 / 02_03.16

DYMO® Industry Rhino Pro 4200

		(mm)	(m)	Ø (mm)	
61800337	DYMO RHINO PRO 4200	-	-	-	-
61800274	RP/ID1 9mm VINYL SW/WS black	9	5.5	-	
61800275	RP/ID1 12mm VINYL SW/YELLOW	12	5.5	-	
61800276	RP/ID1 12mm VINYL SW/ORANGE	12	5.5	-	
61800277	RP/ID1 12mm VINYL WH/RED	12	5.5	-	
61800278	RP/ID1 12mm VINYL WH/GREEN	12	5.5	-	
61800279	RP/ID1 12mm VINYL SW/WHITE	12	5.5	-	
61800280	RP/ID1 19mm VINYL SW/YELLOW	19	5.5	-	
61800281	RP/ID1 19mm VINYL SW/ORANGE	19	5.5	-	
61800282	RP/ID1 19mm VINYL WH/RED	19	5.5	-	
61800283	RP/ID1 19mm VINYL WH/GREEN	19	5.5	-	
61800284	RP/ID1 19mm VINYL SW/WHITE	19	5.5	-	
61800290	RP/ID1 Shrink 1-6-1400	6	1.5	1.18 - 2.33	
61800291	RP/ID1 Shrink 1-9-1400	9	1.5	1.73 - 3.73	
61800295	RP/ID1 Shrink 1-9-1400YL	9	1.5	1.73 - 3.73	
61800292	RP/ID1 Shrink 1-12-1400	12	1.5	2.97 - 5.13	
61800296	RP/ID1 Shrink 1-12-1400YL	12	1.5	2.97 - 5.13	
61800293	RP/ID1 Shrink 1-19-1400	19	1.5	4.64 - 8.7	
61800297	RP/ID1 Shrink 1-19-1400YL	19	1.5	4.64 - 8.7	
61800344	RP/ID1 1-12-1600	12	5.5	-	-
61800285	RP/ID1 9mm POLYESTER SW/ TRANSP	9	5.5	-	-