


HITRONIC® HUN

Universal cable with central loose tube and non-metallic strain relief

HITRONIC® HUN

A/J-DQ(ZN)BH U-DQ(ZN)BH

CPR: www.lappkabel.com/cpr



 Ethernet



()

(26.04.2024)

©2024 Lapp Group - all rights reserved.

<http://lappkorea.lappgroup.com>

data sheet

PN 0456 / 02_03.16

HITRONIC® HUN

24

LSZH

ETIM 5:

ETIM 5.0 Class-ID: EC000034
ETIM 5.0 Class-Description:

ETIM 6:

ETIM 6.0 Class-ID: EC000034
ETIM 6.0 Class : LWL

1 : 250µm

Fibre type:

GOF - Glass Optical Fibre

A/J-DQ(ZN)BH

U-DQ(ZN)BH

가 :

: 15 x

가 :

: 20 x

: 1500 N

: 2,000N

:

: -30°C +70°C

가 VAT 가 가 .

가 가 . (.) 가 .

(26.04.2024)

©2024 Lapp Group - all rights reserved.

<http://lappkorea.lappgroup.com>

data sheet

PN 0456 / 02_03.16



HITRONIC® HUN

		Fibre type	Number of fibres	(mm)	(kg/km)
G 50 OM4					
27400404	HITRONIC® HUN1500 4G 50/125 OM4	50/125 OM4	4	7.3	53
27400408	HITRONIC® HUN1500 8G 50/125 OM4	50/125 OM4	8	7.3	53
27400412	HITRONIC® HUN1500 12G 50/125 OM4	50/125 OM4	12	7.3	53
27400424	HITRONIC® HUN1500 24G 50/125 OM4	50/125 OM4	24	8.3	60
G 50 OM3					
27400304	HITRONIC® HUN1500 4G 50/125 OM3	50/125 OM3	4	7.3	53
27400308	HITRONIC® HUN1500 8G 50/125 OM3	50/125 OM3	8	7.3	53
27400312	HITRONIC® HUN1500 12G 50/125 OM3	50/125 OM3	12	7.3	53
27400324	HITRONIC® HUN1500 24G 50/125 OM3	50/125 OM3	24	8.3	60
G 50 OM2					
27400204	HITRONIC® HUN1500 4G 50/125 OM2	50/125 OM2	4	7.3	53
27400208	HITRONIC® HUN1500 8G 50/125 OM2	50/125 OM2	8	7.3	53
27400212	HITRONIC® HUN1500 12G 50/125 OM2	50/125 OM2	12	7.3	53
27400224	HITRONIC® HUN1500 24G 50/125 OM2	50/125 OM2	24	8.3	60
G 62.5 OM1					
27400104	HITRONIC® HUN1500 4G 62,5/125 OM1	62,5/125 OM1	4	7.3	53
27400108	HITRONIC® HUN1500 8G 62,5/125 OM1	62,5/125 OM1	8	7.3	53
27400112	HITRONIC® HUN1500 12G 62,5/125 OM1	62,5/125 OM1	12	7.3	53
27400124	HITRONIC® HUN1500 24G 62.5/125 OM1	62,5/125 OM1	24	8.3	60
E 9 OS2					

(26.04.2024)

©2024 Lapp Group - all rights reserved.

<http://lappkorea.lappgroup.com>

data sheet

PN 0456 / 02_03.16



HITRONIC® HUN

		Fibre type	Number of fibres	(mm)	(kg/km)
27400904	HITRONIC® HUN1500 4E 9/125 OS2	9/125 OS2	4	7.3	53
27400908	HITRONIC® HUN1500 8E 9/125 OS2	9/125 OS2	8	7.3	53
27400912	HITRONIC® HUN1500 12E 9/125 OS2	9/125 OS2	12	7.3	53
27400924	HITRONIC® HUN1500 24E 9/125 OS2	9/125 OS2	24	8.3	60

(26.04.2024)

©2024 Lapp Group - all rights reserved.

<http://lappkorea.lappgroup.com>

data sheet

PN 0456 / 02_03.16