

# H07V-K in big one-way cardboard box

H07V-K, HAR, , PVC, 450 / 750V, , class 5/

CPR: [www.lappkabel.com/cpr](http://www.lappkabel.com/cpr)

<HAR>



가

가 가 가

: IEC 60332-1-2

EN 50525-2-31 <HAR>  
 EN 50525-1/ VDE 0285-525-1  
 ( - , - )

: , ( ), ( ),

5(IEC 60228 )  
 : PVC

가 가

(24.04.2024)

# H07V-K in big one-way cardboard box

ETIM 5:	ETIM 5.0 Class-ID: EC000993
	ETIM 5.0 Class :
ETIM 6:	ETIM 6.0 Class-ID: EC000993
	ETIM 6.0 Class :
:	VDE 0295 5/ IEC 60228 5
	가 가
:	EN 50565-1
	4 x (OD), 2 x OD
:	U0/U: 450/750 V
:	2500 V AC
:	VDE 0298 4
	EN 50565-1/ VDE 0298-565-1
:	: -40°C +70°C

가 VAT 가 가 . ( . ) 가 .

H07V-K in big one-way cardboard box

		(mm <sup>2</sup> )	(mm)	m/box	(kg/km)	(kg/km)
4520001K	/	1.5	2.8 - 3.4	1500	14.4	22
4520001E	/	1.5	2.8 - 3.4	4000	14.4	22
4520121K		1.5	2.8 - 3.4	1500	14.4	22
4520031K		1.5	2.8 - 3.4	1500	14.4	22
4520031E		1.5	2.8 - 3.4	4000	14.4	22
4520011K		1.5	2.8 - 3.4	1500	14.4	22
4520011E		1.5	2.8 - 3.4	4000	14.4	22
4520061K		1.5	2.8 - 3.4	1500	14.4	22
4520021K		1.5	2.8 - 3.4	1500	14.4	22
4520021E		1.5	2.8 - 3.4	4000	14.4	22
4520141K		1.5	2.8 - 3.4	1500	14.4	22
4520141E		1.5	2.8 - 3.4	4000	14.4	22
4520091K		1.5	2.8 - 3.4	1500	14.4	22
4520071K		1.5	2.8 - 3.4	1500	14.4	22
4520111K		1.5	2.8 - 3.4	1500	14.4	22
4520051K		1.5	2.8 - 3.4	1500	14.4	22
4520041K		1.5	2.8 - 3.4	1500	14.4	22
4520041E		1.5	2.8 - 3.4	4000	14.4	22
4520261K	/	1.5	2.8 - 3.4	1500	14.4	22
4520391K	-	1.5	2.8 - 3.4	1500	14.4	22
4520461K	-	1.5	2.8 - 3.4	1500	14.4	22
4520002K	/	2.5	3.4 - 4.1	900	24	37
4520002E	/	2.5	3.4 - 4.1	2500	24	37
4520122K		2.5	3.4 - 4.1	900	24	37
4520032K		2.5	3.4 - 4.1	900	24	37
4520012K		2.5	3.4 - 4.1	900	24	37
4520012E		2.5	3.4 - 4.1	2500	24	37
4520062K		2.5	3.4 - 4.1	900	24	37
4520022K		2.5	3.4 - 4.1	900	24	37
4520022E		2.5	3.4 - 4.1	2500	24	37
4520142K		2.5	3.4 - 4.1	900	24	37
4520092K		2.5	3.4 - 4.1	900	24	37
4520072K		2.5	3.4 - 4.1	900	24	37
4520112K		2.5	3.4 - 4.1	900	24	37

(24.04.2024)

©2024 Lapp Group - all rights reserved.

<http://lappkorea.lappgroup.com>

data sheet

PN 0456 / 02\_03.16

# H07V-K in big one-way cardboard box

		(mm <sup>2</sup> )	(mm)	m/box	(kg/km)	(kg/km)
4520052K		2.5	3.4 - 4.1	900	24	37
4520042K		2.5	3.4 - 4.1	900	24	37
4520922K	/	2.5	3.4 - 4.1	900	24	37
4520312K	-	2.5	3.4 - 4.1	900	24	37
4520402K	-	2.5	3.4 - 4.1	900	24	37
4520003K	/	4	3.9 - 4.8	600	38.4	45
4520033K		4	3.9 - 4.8	600	38.4	45
4520013K		4	3.9 - 4.8	600	38.4	45
4520013E		4	3.9 - 4.8	2000	38.4	45
4520063K		4	3.9 - 4.8	600	38.4	45
4520023K		4	3.9 - 4.8	600	38.4	45
4520143K		4	3.9 - 4.8	600	38.4	45
4520093K		4	3.9 - 4.8	600	38.4	45
4520073K		4	3.9 - 4.8	600	38.4	45
4520043K		4	3.9 - 4.8	600	38.4	45
4520263K	/	4	3.9 - 4.8	600	38	45
4520923K	/	4	3.9 - 4.8	600	38	45
4520004K	/	6	4.4 - 5.3	400	57.6	71
4520004E	/	6	4.4 - 5.3	1500	57.6	71
4520034K		6	4.4 - 5.3	400	57.6	71
4520014K		6	4.4 - 5.3	400	57.6	71
4520014E		6	4.4 - 5.3	1500	57.6	71
4520064K		6	4.4 - 5.3	400	57.6	71
4520024K		6	4.4 - 5.3	400	57.6	71
4520024E		6	4.4 - 5.3	1500	57.6	71
4520144K		6	4.4 - 5.3	400	57.6	71
4520094K		6	4.4 - 5.3	400	57.6	71
4520044K		6	4.4 - 5.3	400	57.6	71
4520044E		6	4.4 - 5.3	1500	57.6	71
4520264K	/	6	4.4 - 5.3	400	57.6	71
4520924K	/	6	4.4 - 5.3	400	57.6	71
4520071E	-	-	2.8 - 3.4	-	14.4	-

(24.04.2024)

©2024 Lapp Group - all rights reserved.

<http://lappkorea.lappgroup.com>

data sheet

PN 0456 / 02\_03\_16

## H07V-K in big one-way cardboard box



(24.04.2024)