

ÖLFLEX® SERVO Core Line acc. Allen Bradley / Rockwell (PUR)

ÖLFLEX® SERVO Core Line acc. Allen Bradley / Rockwell (PUR)

가



Lapp



가

Lapp

(24.04.2024)

©2024 Lapp Group - all rights reserved.

<http://lappkorea.lappgroup.com>

data sheet

PN 0456 / 02\_03.16

ÖLFLEX® SERVO Core Line acc. Allen Bradley / Rockwell (PUR)

For travel distances up to 10 m

PUR

ETIM 5:

ETIM 5.0 Class-ID: EC000104  
ETIM 5.0

:

U/L2/C/L +

: V / L2

:

:

IEC 60228/VDE 0295 class 5

:

Chain application: 7,5 x cable diameter  
: 4 x

:

U0/U: 600/1000 V  
UL & CSA: 1000 V

:

Core/Core: 4 kV  
Core/Screen: 4 kV

:

G = GN/YE

:

: -40 ~ 90°C (UL/CSA: 80°C)  
: -50 ~ 90°C (UL/CSA: 80°C)

:

5 mio. cycles

Siemens (6FX5002/5008, 6FX7002/7008, 6FX8002/8008) Siemens AG

가

가 VAT 가 가

Further Article and length online <https://servoconfigurator.lappgroup.com/>

Resolver Corecode acc. DIN 47100

Allen Bradley / Rockwell part designations are registered trademarks of Allen Bradley / Rockwell , and are listed for comparison purposes only

(24.04.2024)

©2024 Lapp Group - all rights reserved.

<http://lappkorea.lappgroup.com>

data sheet

PN 0456 / 02\_03.16



ÖLFLEX® SERVO Core Line acc. Allen Bradley / Rockwell (PUR)

	(m)	LENZE®	OD in mm	(CORE) / (mm <sup>2</sup> )	kg/1.000 pieces
5490000029	10.0	2090-CFBM4DD-CEAF	10.6	6x2x0,34	870.62
5490000031	10.0	2090-CFBM7E7-CEAF	10.6	6x2x0,34	870.62
5490000030	10.0	2090-CFBM4E7-CEAF	10.6	6x2x0,34	870.62
5490000054	10.0	2090-CPBM7DF-16AF	12.8	4G1,5+(2x1,5)	1,444.3
5490000056	10.0	2090-CPBM7DF-14AF	14.4	4G2,5+(2x1,5)	2,048.28
5490000039	10.0	2090-CPBM7DF-10AF	17.4	4G6+(2x1,5)	3,512.78
5490000058	10.0	2090-CPWM7DF-16AF	9.2	4G1,5	818.1
5490000060	10.0	2090-CPWM7DF-14AF	11.5	4G2,5	1212

(24.04.2024)

©2024 Lapp Group - all rights reserved.

<http://lappkorea.lappgroup.com>

data sheet

PN 0456 / 02\_03.16