

SPIRAL H07BQ-F BLACK

, PUR

SPIRAL H07BQ-F BLACK - PUR

가

: PUR,
450/750 V



PUR

가

(door)

/ / : , 가

(23.12.2023)

©2023 Lapp Group - all rights reserved.

<http://lappkorea.lappgroup.com>

data sheet

PN 0456 / 02_03.16

SPIRAL H07BQ-F BLACK

, PUR

, , 가

EN 50525-2-21 H07BQ-F
<HAR> H07BQ-F () H07BQ-F
F , 가 , "SPIRAL H07BQ-F BLACK" H07BQ-F <HAR>H07BQ-

IEC 60228/VDE 0295 5
: EN 50525-1 EN 50363-1/ VDE 0207-363-1 EI6 , HD 308/VDE 0293-308 ,
H07BQ-F() VDE HAR

EN 50525-2-21 TPU PUR , "H07BQ-F ..."
4가 가 가 .
: 200 mm / 600mm
가 가

ETIM 5: ETIM 5.0 Class-ID: EC000247
ETIM 5.0 Class :
ETIM 6: ETIM 6.0 Class-ID: EC000247
ETIM 6.0 Class-Description: Spiralized cable
:
: VDE 0293-308 (HD 308)
: IEC 60228/VDE 0295 class 5
:
: 12.5 x
:
: U0/U: 450/750 V
:
: 3000 V
:
: G = GN/YE
:
: -25°C ~ +50°C (spiralled)

, 가 가 (.) 가 .
가 VAT 가 가 .
가 가 가 가

SPIRAL H07BQ-F BLACK

	(CORE) / (mm ²)	, (mm)	, (mm)	(mm)	(mm)
70002750	3 G 1.5	1500	500	9	31
70002751	3 G 1.5	3000	1000	9	31
70002752	3 G 1.5	4500	1500	9	31
70002753	3 G 1.5	6000	2000	9	31
70002754	4 G 1.5	1500	500	10	38
70002755	4 G 1.5	3000	1000	10	38
70002756	4 G 1.5	4500	1500	10	38
70002757	4 G 1.5	6000	2000	10	38
70002758	5 G 1.5	1500	500	11	40
70002759	5 G 1.5	3000	1000	11	40
70002760	5 G 1.5	4500	1500	11	40
70002761	5 G 1.5	6000	2000	11	40

(23.12.2023)

©2023 Lapp Group - all rights reserved.

<http://lappkorea.lappgroup.com>

data sheet

PN 0456 / 02_03.16