

# SPIRAL H07BQ-F BLACK

, PUR  
SPIRAL H07BQ-F BLACK - PUR , . 가

: PUR,  
450/750 V



PUR

, ,

가

(door)

/ / : ,가

(25.04.2024)

# SPIRAL H07BQ-F BLACK

, PUR  
-  
가

EN 50525-2-21 H07BQ-F  
<HAR> H07BQ-F ( ) H07BQ-F  
H07BQ-F <HAR>H07BQ-F  
F 가 , "SPIRAL H07BQ-F BLACK"

IEC 60228/VDE 0295 5  
: EN 50525-1 EN 50363-1/ VDE 0207-363-1 E16 , HD 308/VDE 0293-308  
H07BQ-F( ) VDE HAR

EN 50525-2-21 TMPU PUR , "H07BQ-F ..."  
4가 가 가 .  
: 200 mm / 600mm  
가 가

ETIM 5: ETIM 5.0 Class-ID: EC000247  
ETIM 5.0 Class :  
ETIM 6: ETIM 6.0 Class-ID: EC000247  
ETIM 6.0 Class-Description: Spiralized cable  
: VDE 0293-308 (HD 308)  
: IEC 60228/VDE 0295 class 5  
: : 12.5 x  
: U0/U: 450/750 V  
: 3000 V  
: G = GN/YE  
: -25°C ~ +50°C (spiralled)

, 가 가 ( . ) 가 .  
가 VAT 가 가 .  
가 가  
가 가



# SPIRAL H07BQ-F BLACK

	(CORE) / (mm <sup>2</sup> )	(mm)	(mm)	(mm)	(mm)
70002750	3 G 1.5	1500	500	9	31
70002751	3 G 1.5	3000	1000	9	31
70002752	3 G 1.5	4500	1500	9	31
70002753	3 G 1.5	6000	2000	9	31
70002754	4 G 1.5	1500	500	10	38
70002755	4 G 1.5	3000	1000	10	38
70002756	4 G 1.5	4500	1500	10	38
70002757	4 G 1.5	6000	2000	10	38
70002758	5 G 1.5	1500	500	11	40
70002759	5 G 1.5	3000	1000	11	40
70002760	5 G 1.5	4500	1500	11	40
70002761	5 G 1.5	6000	2000	11	40

(25.04.2024)

©2024 Lapp Group - all rights reserved.

<http://lappkorea.lappgroup.com>

data sheet

PN 0456 / 02\_03.16