



# ÖLFLEX® SERVO 9YSLCY-JB

EMC

ÖLFLEX® SERVO 9YSLCY-JB -

, UL/cUL

AWM

3+3

CPR: [www.lappkabel.com/cpr](http://www.lappkabel.com/cpr)



EMC-compliant operation of power drive systems

3+3

, 가

IEC 60332-1-2 CSA FT1  
EN/VDE +90°C PP

(23.04.2024)

©2024 Lapp Group - all rights reserved.  
<http://lappkorea.lappgroup.com>  
data sheet

PN 0456 / 02\_03.16



# ÖLFLEX® SERVO 9YSLCY-JB

: AWM Style 2570 20886, 1 kV 80° VW-1  
 : AWM I/II A/B 1 kV 80° FT 1  
 UL File No. E63634  
 VDE 0276, 0250, 0207

: (PP)  
 (3+3 )  
 :  
 4 : PVC  
 3+3 : PVC ,

ETIM 5: ETIM 5.0 Class-ID: EC000057  
 ETIM 5.0  
 ETIM 6: ETIM 6.0 Class-ID: EC000057  
 ETIM 6.0 Class :  
 : HD 308 S2 VDE 0293-308  
 : VDE 0295 5/ IEC 60228 5  
 가 가  
 : : 15 x  
 : 4 x  
 : IEC U0/U: 600/1000 V  
 UL & CSA: 1000 V  
 : 4000 V  
 : 3+3  
 : : IEC: -5°C ~ +80°C IEC: -5°C ~ +90°C  
 UL/CSA: -5°C ~ +80°C  
 Fixed installation:  
 IEC: transparent -40°C to +80°C  
 IEC: black -40°C to +90°C  
 UL/CSA: +80°C

, 가 가 . ( . ) 가 .  
 : [www.lappkabel.de/en/cable-standradlengths](http://www.lappkabel.de/en/cable-standradlengths)  
 30 kg or 250 m,  
 . (e.g. 1 x 500 m or 5 x 100 m ).  
 가 VAT 가 가 .



# ÖLFLEX® SERVO 9YSLCY-JB

|                                 | (CORE) / (mm <sup>2</sup> ) | (mm) | (kg/km) | (kg/km) |
|---------------------------------|-----------------------------|------|---------|---------|
| ÖLFLEX® SERVO 9YSLCY-JB / 4 -   |                             |      |         |         |
| 0037000                         | 4 G 1,5                     | 10.5 | 87      | 230     |
| 0037001                         | 4 G 2,5                     | 11.8 | 133     | 300     |
| 0037002                         | 4 G 4                       | 13.3 | 213     | 485     |
| 0037003                         | 4 G 6                       | 14.9 | 298     | 630     |
| 0037004                         | 4 G 10                      | 17.7 | 460     | 860     |
| 0037005                         | 4 G 16                      | 21.5 | 707     | 1290    |
| 0037006                         | 4 G 25                      | 26.3 | 1100    | 1860    |
| 0037007                         | 4 G 35                      | 29.7 | 1542    | 2610    |
| 0037008                         | 4 G 50                      | 35.8 | 2206    | 2950    |
| 0037009                         | 4 G 70                      | 40.9 | 3002    | 3950    |
| 0037010                         | 4 G 95                      | 45.4 | 4004    | 5300    |
| 0037011                         | 4 G 120                     | 49.8 | 5108    | 6600    |
| 0037012                         | 4 G 150                     | 56.1 | 6225    | 7590    |
| 0037013                         | 4 G 185                     | 61.4 | 7568    | 9420    |
| 0037014                         | 4 G 240                     | 67.9 | 9940    | 12150   |
| ÖLFLEX® SERVO 9YSLCY-JB / 3+3 - |                             |      |         |         |
| 0037015                         | 3 X 1,5 + 3 G 0,25          | 11.4 | 88      | 177     |
| 0037016                         | 3 X 2,5 + 3 G 0,5           | 12.9 | 130     | 220     |
| 0037017                         | 3 X 4 + 3 G 0,75            | 13.6 | 224     | 323     |
| 0037018                         | 3 X 6 + 3 G 1,0             | 15.2 | 276     | 420     |
| 0037019                         | 3 X 10 + 3 G 1,5            | 17.4 | 511     | 635     |
| 0037020                         | 3 X 16 + 3 G 2,5            | 20   | 751     | 930     |
| 0037021                         | 3 X 25 + 3 G 4              | 24.3 | 1204    | 1350    |
| 0037022                         | 3 X 35 + 3 G 6              | 27.5 | 1535    | 1780    |
| 0037023                         | 3 X 50 + 3 G 10             | 31.1 | 2156    | 2530    |
| 0037024                         | 3 X 70 + 3 G 10             | 37.1 | 2980    | 3225    |
| 0037025                         | 3 X 95 + 3 G 16             | 40   | 3953    | 4511    |
| 0037026                         | 3 X 120 + 3 G 16            | 42.6 | 4836    | 5663    |
| 0037027                         | 3 X 150 + 3 G 25            | 50   | 5412    | 6720    |
| 0037028                         | 3 X 185 + 3 G 35            | 55.6 | 7077    | 7855    |

(23.04.2024)

©2024 Lapp Group - all rights reserved.

<http://lappkorea.lappgroup.com>

data sheet

PN 0456 / 02\_03.16