

SILVYN® UI 511

SILVYN® UI 511 -

가 가

(AGRAFF-)

- Agraff
가



(05.06.2024)

©2024 Lapp Group - all rights reserved.

<http://lappkorea.lappgroup.com>

data sheet

PN 0456 / 02_03.16

SILVYN® UI 511

AISI 304

(AGRAFF)

ETIM 5:

ETIM 5.0 Class-ID: EC001179

ETIM 5.0 class :

ETIM 6:

ETIM 6.0 Class-ID: EC001179

ETIM 6.0 Class :

:

2" !

:

AISI 304

DW no. 1.4301

가:

IP40

:

-100 °C +600 °C

가 VAT 가 가 .

(05.06.2024)

©2024 Lapp Group - all rights reserved.

<http://lappkorea.lappgroup.com>

data sheet

PN 0456 / 02_03.16



SILVYN® UI 511

	()	ID x OD mm	/ in mm	PU (m)
SILVYN® UI 511				
61799815	5/16"	9.5 x 12.5	50 / 60	30
61799816	3/8"	13.0 x 16.0	65 / 80	30
61799817	1/2"	17.0 x 21.0	75 / 100	30
61799818	3/4"	22.0 x 26.0	90 / 125	30
61799819	1"	26.0 x 30.0	120 / 160	30
61799820	1 1/4"	34.0 x 39.0	175 / 220	30
61799831	1 1/2"	40.3 x 44.4	230.0 / 280.0	15
61799822	2"	51.6 x 55.7	285 / 340	15