

SILVYN® FPAG PG

SILVYN® FPAG PG - SILVYN® FPAS



SILVYN® FPAS

(24.04.2024)

©2024 Lapp Group - all rights reserved.

<http://lappkorea.lappgroup.com>

data sheet

PN 0456 / 02_03.16



SILVYN® FPAG PG

UV
가

UL FILENUMBER E308201

PG
가

ETIM 5:	ETIM 5.0 Class-ID: EC001176
	ETIM 5.0 Class :
ETIM 6:	ETIM 6.0 Class-ID: EC001176
	ETIM 6.0 Class :
:	IEC EN 61386-23
:	(RAL 7031)
	(RAL 9005), UV
:	PA66
가:	IP 66
:	-50°C ~ +135°C

가 VAT 가 가 .

SILVYN® FPAG PG

	SILVYN® FPAS	/ PU
SILVYN® FPAG PG		
55506585	10	10
55506595	10	10
55506605	13	10
55506615	16	10
55506625	16	10
55506635	16	10
55506645	18	10
55506995	21	10
55506655	21	10
55506665	28	10
55506675	34	10
55506685	42	2
55506695	54	2
55506705	67	2
SILVYN® FPAG PG		
55506580	10	10
55506590	10	10
55506600	13	10
55506610	16	10
55506620	16	10
55506630	16	10
55506640	18	10
55506990	21	10
55506650	21	10
55506660	28	10
55506670	34	10
55506680	42	2
55506690	54	2
55506700	67	2