

FIPLOCK® ONE-H

FIPLOCK® PA6 / PA12

FIPLOCK[®] ONE-H



(22.12.2023)

FIPLOCK® ONE-H



IP

FIPLOCK®
PA6 / PA12
가

360°

ETIM 5:	ETIM 5.0 Class-ID: EC001176
	ETIM 5.0 Class :
ETIM 6:	ETIM 6.0 Class-ID: EC001176
	ETIM 6.0 Class :
:	IEC EN 61386-23
	EN 45545-2 HL3
:	(RAL 7005) (RAL 9005), UV
:	PA 6
	UL 94V-0
가:	IP66/IP67/IP68/IP69
:	-45°C ~ +120°C

(22.12.2023)



FIPLOCK® ONE-H

가 VAT 가 가 .

(22.12.2023)



FIPLOCK® ONE-H

	()	Ø (mm)		FIPLOCK® PA6 / PA12	
61805079	07	M4	-	7	
61805080	10	M5	-	10	
61805081	12	M5	-	12	
61805082	17	M6	-	17	
61805083	23	M6	-	23	
61805084	29	M6	-	29	
61805085	36	M6	-	36	
61805086	48	M6	-	48	
61805087	07	M4	-	7	
61805088	10	M5	-	10	
61805089	12	M5	-	12	
61805090	17	M6	-	17	
61805091	23	M6	-	23	
61805092	29	M6	-	29	
61805093	36	M6	-	36	
61805094	48	M6	-	48	
61805095	10	M5	with base plate	10	
61805096	12	M5	with base plate	12	
61805097	17	M6	with base plate	17	
61805098	23	M6	with base plate	23	
61805099	29	M6	with base plate	29	
61805100	36	M6	with base plate	36	
61805101	48	M6	with base plate	48	
61805102	10	M5	with base plate	10	
61805103	12	M5	with base plate	12	
61805104	17	M6	with base plate	17	
61805105	23	M6	with base plate	23	
61805106	29	M6	with base plate	29	
61805107	36	M6	with base plate	36	
61805108	48	M6	with base plate	48	

(22.12.2023)

©2023 Lapp Group - all rights reserved.

<http://lappkorea.lappgroup.com>

data sheet

PN 0456 / 02_03_16