

FIPLOCK® ONE-R

FIPLOCK® PA6 / PA12

FIPLOCK[®] ONE-R



(30.04.2024)

FIPLOCK® ONE-R



IP

Suitable for FIPLOCK® ONE-T / ONE-Y / ONE-C / ONE-CS

FIPLOCK®
PA6 / PA12
가

360°

ETIM 5:

ETIM 5.0 Class-ID: EC001176
ETIM 5.0 Class :

ETIM 6:

ETIM 6.0 Class-ID: EC001176
ETIM 6.0 Class :

:

IEC EN 61386-23
EN 45545-2 HL3

:

(RAL 7005) (RAL 9005), UV

:

PA 6

UL 94V-0

(30.04.2024)



FIPLOCK® ONE-R

가: IP66/IP67/IP68/IP69
: -45°C ~ +120°C

가 VAT 가 가 .

(30.04.2024)



FIPLOCK® ONE-R

	()	Suitable for FIPLOCK® ONE-T / ONE-Y / ONE-C / ONE-CS	FIPLOCK® PA6 / PA12	/ PU
61804992	10-07	10	7	10
61804993	12-10	12	10	10
61804994	17-10	17	10	10
61804995	17-12	17	12	10
61804996	23-10	23	10	10
61804997	23-12	23	12	6
61804998	23-17	23	17	6
61804999	29-10	29	10	6
61805000	29-12	29	12	6
61805001	29-17	29	17	6
61805002	29-23	29	23	6
61805003	36-23	36	23	4
61805004	36-29	36	29	4
61805005	48-29	48	29	4
61805006	48-36	48	36	4
61805007	10-07	10	7	10
61805008	12-10	12	10	10
61805115	17-10	17	10	10
61805015	17-12	17	12	10
61805016	23-10	23	10	6
61805017	23-12	23	12	6
61805018	23-17	23	17	6
61805019	29-10	29	10	6
61805020	29-12	29	12	6
61805021	29-17	29	17	6
61805022	29-23	29	23	6
61805023	36-23	36	23	4
61805024	36-29	36	29	4
61805025	48-29	48	29	4
61805026	48-36	48	36	4

(30.04.2024)

©2024 Lapp Group - all rights reserved.

<http://lappkorea.lappgroup.com>

data sheet

PN 0456 / 02_03.16

FIPLOCK® ONE-R



(30.04.2024)

©2024 Lapp Group - all rights reserved.

<http://lappkorea.lappgroup.com>

data sheet

PN 0456 / 02_03.16