

FIPLOCK® ONE T-Adapter

FIPLOCK® PA6 / PA12

FIPLOCK[®] ONE T-Adapter



(22.02.2024)

©2024 Lapp Group - all rights reserved.

<http://lappkorea.lappgroup.com>

data sheet

PN 0456 / 02_03.16

FIPLOCK® ONE T-Adapter



IP

FIPLOCK®
PA6 / PA12
가

360°

ETIM 5:

ETIM 5.0 Class-ID: EC001176

ETIM 5.0 Class :

ETIM 6:

ETIM 6.0 Class-ID: EC001176

ETIM 6.0 Class :

:

IEC EN 61386-23

EN 45545-2 HL3

:

(RAL 7005)

(RAL 9005), UV

:

PA 6

가:

UL 94V-0

IP66/IP67/IP68/IP69

:

-45°C ~ +120°C

(22.02.2024)

©2024 Lapp Group - all rights reserved.

<http://lappkorea.lappgroup.com>

data sheet

PN 0456 / 02_03.16



FIPLOCK® ONE T-Adapter

가 VAT 가 가 .

(22.02.2024)

©2024 Lapp Group - all rights reserved.

<http://lappkorea.lappgroup.com>

data sheet

PN 0456 / 02_03.16

FIPLOCK® ONE T-Adapter

	()	Ø (mm)	FIPLOCK® PA6 / PA12		/ PU
61804962	10-10-10	M4	10		10
61804963	12-12-12	M4	12		10
61804964	17-17-17	M5	17		10
61804965	23-23-23	M5	23		6
61804966	29-29-29	M5	29		6
61804967	36-36-36	M6	36		4
61804968	48-48-48	M6	48		4
61804969	10-10-10	M4	10		10
61804971	12-12-12	M4	12		10
61804972	17-17-17	M5	17		10
61804973	23-23-23	M5	23		6
61804974	29-29-29	M5	29		6
61804975	36-36-36	M6	36		4
61804976	48-48-48	M6	48		4

FIPLOCK® ONE T-Adapter



(22.02.2024)

©2024 Lapp Group - all rights reserved.

<http://lappkorea.lappgroup.com>

data sheet

PN 0456 / 02_03.16