



SILVYN® KCLICK-Y (TPE)

SILVYN® KCLICK-Y (TPE) - SILVYN® RILL Y



SILVYN® RILL PA 6

SILVYN® RILL PA 12

SILVYN® RILL Y

3 x M4 1 x

ETIM 5:

ETIM 6:

:

:

가:

:

ETIM 5.0 Class-ID: EC001172

ETIM 5.0 Class :

ETIM 6.0 Class-ID: EC001172

ETIM 6.0 Class :

(RAL 7001)

(RAL 9005), UV

TPE

IP 66

-40°C ~ +115°C



SILVYN® KCLICK-Y (TPE)

가 VAT 가 가 .

(21.02.2024)

©2024 Lapp Group - all rights reserved.

<http://lappkorea.lappgroup.com>

data sheet

PN 0456 / 02_03.16



SILVYN® KCLICK-Y (TPE)

	()		SILVYN® RILL	/ PU
SILVYN® KCLICK-Y (TPE)				
56000120	3 x 10	10	10	10
56000140	2 x 16/1 x 21	15.8 / 21.2	16/21	10
56000150	2 x 21/1 x 28	21.2 / 28.5	21/28	10
56000160	2 x 28/1 x 34	28.5 / 34.5	28/34	10
SILVYN® KCLICK-Y (TPE)				
56000125	3 x 10	10	10	10
56000145	2 x 16/1 x 21	15.8 / 21.2	16/21	10
56000155	2 x 21/1 x 28	21.2 / 28.5	21/28	10
56000165	2 x 28/1 x 34	28.5 / 34.5	28/34	10