

SILVYN® ELR

SILVYN® ELR - PVC



가

-
SILVYN® MPC / MPC-M

PVC
PVC

ETIM 5:

ETIM 5.0 Class-ID: EC001177

(24.04.2024)

©2024 Lapp Group - all rights reserved.

<http://lappkorea.lappgroup.com>

data sheet

PN 0456 / 02_03.16

SILVYN® ELR

ETIM 6:

:

:

:

:

ETIM 5.0 Class :

ETIM 6.0 Class-ID: EC001177

ETIM 6.0 Class :

IEC EN 61386-23

(RAL 2008)

PVC 가

PVC

-20°C ~ +70°C

가 VAT 가 가 .

(24.04.2024)

©2024 Lapp Group - all rights reserved.

<http://lappkorea.lappgroup.com>

data sheet

PN 0456 / 02_03.16



SILVYN® ELR

	()	ID x OD mm	(mm)	SILVYN® MPC- M/MPC 90°M	SILVYN® MPC	SILVYN® MPC 90°	PU (m)
SILVYN® ELR							
61751600	12	10 x 14.2	50	-	-	-	30
61751601	16	12 x 17.8	50	16/2 , 20/1	11 , 13,5/1	11 , 13,5/1	30
61751602	20	16 x 21.1	70	20/2	13,5/2 , 16	13,5/2 , 16	30
61751603	25	21 x 26.4	90	25x1,5	21	21	30
61751604	32	26.5 x 33.1	140	32/2	29/2	29/2	30
61751605	40	35.4 x 41.8	190	40 x 1,5	36	36	30
61751606	50	40 x 47.9	240	50 x 1,5	42	-	30
61751607	63	51.3 x 59.7	270	63 x 1,5	48	-	30