

SILVYN® MPC-M

SILVYN® MPC-M - SILVYN® EL/ELU/ELO/ELT



SILVYN® EL/ELU/ELO/ELT/ELR ()

(24.04.2024)

©2024 Lapp Group - all rights reserved.

<http://lappkorea.lappgroup.com>

data sheet

PN 0456 / 02_03.16

SILVYN® MPC-M

UL FILENUMBER E308201

6

PG threaded versions are to be found in the online catalogue

ETIM 5:	ETIM 5.0 Class-ID: EC001178		
	ETIM 5.0 Class :		
ETIM 6:	ETIM 6.0 Class-ID: EC001178		
	ETIM 6.0 Class :		
:	IEC EN 61386-23		
:	(RAL 9005), UV		
	, RAL 7001		
:	PA66		
가:	68 (2bar)	IP 65	IP 67 + IP
:	-40°C ~ +120°C		

가 VAT 가 가 .

(24.04.2024)



SILVYN® MPC-M

		(mm)	SILVYN® SI	SILVYN® SP/SP-PU	SILVYN® EL/ELU/ELO/ELT/ELR	/ PU
SILVYN® MPC-M						
55502460	16 x 1.5/1	9	11 x 14	-	12	10
55502461	16 x 1.5/2	10.5	13 x 16	12 x 16	16	10
55502462	20 x 1.5/1	10.5	13 x 16	12 x 16	16	10
55502463	20 x 1.5/2	14.5	-	16 x 20	20	10
55502464	25 x 1.5	19	-	22 x 27	25	10
55502465	32 x 1.5/1	24.5	-	-	30	10
55502469	32 x 1.5/2	24.5	-	-	32	10
55502466	40 x 1.5	33	-	-	40	2
55502467	50 x 1.5	39	-	-	50	2
55502468	63 x 1.5	48	-	49 x 56	63	1
SILVYN® MPC-M						
55502441	16 x 1.5/1	9	11 x 14	-	12	10
55502442	16 x 1.5/2	10.5	13 x 16	12 x 16	16	10
55502443	20 x 1.5/1	10.5	13 x 16	12 x 16	16	10
55502444	20 x 1.5/2	14.5	-	16 x 20	20	10
55502445	25 x 1.5	19	-	22 x 27	25	10
55502446	32 x 1.5/1	24.5	-	-	30	10
55502447	32 x 1.5/2	24.5	-	-	32	10
55502448	40 x 1.5	33	-	-	40	2
55502449	50 x 1.5	39	-	-	50	2
55502439	63 x 1.5	48	-	49 x 56	63	1

(24.04.2024)

©2024 Lapp Group - all rights reserved.

<http://lappkorea.lappgroup.com>

data sheet

PN 0456 / 02_03.16