

SILVYN® LKI

SILVYN® LKI -



-
가

SILVYN®
FPS
SILVYN® FD-PU

(30.04.2024)



SILVYN® LKI

PG

ETIM 5:	ETIM 5.0 Class-ID: EC001178
	ETIM 5.0 Class :
ETIM 6:	ETIM 6.0 Class-ID: EC001178
	ETIM 6.0 Class :
:	(RAL 7001)
:	PP
가:	IP 54
:	-10°C ~ +110°C

가 VAT 가 가 .

(30.04.2024)



SILVYN® LKI

	PG	SW (mm)	mm	(thread) (mm)	(mm)	SILVYN® FPS/FD- PU	/ PU
SILVYN® LKI							
55000000	7	16	38	10	5.5	7 x 10	50
55000010	9	19	39.5	10	9.5	10 x 14	50
55000020	11	22	42	10	11.5	13 x 17	50
55000030	13.5	24	42	10	13	15 x 19	50
55000040	16	27	48	11	14.5	16 x 21	50
55000050	21	35	58	11	19.5	22 x 27	25
55000060	29	45	59	12	27	29 x 36	25
55000070	36	54	62.5	12	35.5	38 x 45	25
55000090	48	65	68	15	46	48 x 56	10

(30.04.2024)

©2024 Lapp Group - all rights reserved.

<http://lappkorea.lappgroup.com>

data sheet

PN 0456 / 02_03.16