


SILVYN® USK-M

SILVYN® USK-M -



가

SILVYN® FPS/ FD-PU

SILVYN® SP/SP-PU



SILVYN® USK-M

SILVYN® EE-K

ETIM 5:

ETIM 5.0 Class-ID: EC001178

ETIM 5.0 Class :

ETIM 6:

ETIM 6.0 Class-ID: EC001178

ETIM 6.0 Class :

:

(RAL 7001)

:

PP

가:

IP 54

:

-10°C ~ +110°C

가 VAT 가 가 .

.

(21.02.2024)

©2024 Lapp Group - all rights reserved.

<http://lappkorea.lappgroup.com>

data sheet

PN 0456 / 02_03.16



SILVYN® USK-M

		SW 1/2 mm	mm	(thread) (mm)	(mm)	SILVYN® FD- PU/FPS	SILVYN® SP	SILVYN® SP- PU	/ PU
SILVYN® USK-M									
55501300	10 x 1.0	16.0 / 18.0	40	10	6	7 x 10	-	-	50
55501310	12 x 1.5	21.0 / 23.0	43	12	8	10 x 14	10 x 14	10 x 14	50
55501320	16 x 1.5	24.0 / 27.0	43	12	11	13 x 17	12 x 16	12 x 16	50
55501330	20 x 1.5	29.0 / 32.0	44	13	15	16 x 21	16 x 20	16 x 20	50
55501340	25 x 1.5	36.0 / 40.0	50	13	20	22 x 27	22 x 27	22 x 27	25
55501350	32 x 1.5	45.0 / 49.0	51	15	27	29 x 36	30 x 36	30 x 36	25
55501360	40 x 1.5	54.0 / 58.0	51	15	35	38 x 45	38 x 44	38 x 44	25
55501370	50 x 1.5	66.0 / 70.0	58	16	44.5	48 x 56	49 x 56	-	10