



SILVYN® USK

SILVYN® USK - PG



가

SILVYN® FPS/ FD-PU

SILVYN® SP/SP-PU

PG
6



SILVYN® USK

SILVYN® EE-K

ETIM 5:

ETIM 5.0 Class-ID: EC001178

ETIM 5.0 Class :

ETIM 6:

ETIM 6.0 Class-ID: EC001178

ETIM 6.0 Class :

:

(RAL 7001)

:

PP

가:

IP 54

:

-10°C ~ +110°C

가 VAT 가 가 .

(24.04.2024)

©2024 Lapp Group - all rights reserved.

<http://lappkorea.lappgroup.com>

data sheet

PN 0456 / 02_03.16



SILVYN® USK

	PG	SW 1/2 mm	mm	(thread) (mm)	(mm)	SILVYN® FD- PU/FPS	SILVYN® SP/SP- PU	/ PU
SILVYN® USK								
52005810	7	16.0 / 18.0	40	10	6	7 x 10	-	50
52005820	9	21.0 / 23.0	41	10	9	10 x 14	10 x 14	50
52005830	11	24.0 / 27.0	41	10	11	13 x 17	12 x 16	50
52005840	13.5	26.0 / 29.0	41	10	13	15 x 19	14 x 18	50
52005850	16	29.0 / 32.0	42	11	14.5	16 x 21	16 x 20	50
52005860	21	36.0 / 40.0	48	11	19.5	22 x 27	22 x 27	25
52005870	29	45.0 / 49.0	48	12	27	29 x 36	30 x 36	25
52005880	36	53.0 / 58.0	48	12	36	38 x 45	38 x 44	25
52005900	48	65.0 / 70.0	57	15	46	48 x 56	49 x 56	10

(24.04.2024)

©2024 Lapp Group - all rights reserved.

<http://lappkorea.lappgroup.com>

data sheet

PN 0456 / 02_03.16