

SILVYN® CNP

SILVYN® CNP PVC

, UL/CSA



가

-

PVC

ETIM 5:

ETIM 5.0 Class-ID: EC001177

ETIM 5.0 Class :

ETIM 6:

ETIM 6.0 Class-ID: EC001177

ETIM 6.0 Class :

:

UL 1660

(23.04.2024)

©2024 Lapp Group - all rights reserved.

<http://lappkorea.lappgroup.com>

data sheet

PN 0456 / 02_03.16



SILVYN® CNP

：

：

가:

：

PVC

IP 67

-20°C

+60°C

CSA: -18°C

+75°C

：

+80°C

가

VAT

가

가 .

.

(23.04.2024)

©2024 Lapp Group - all rights reserved.

<http://lappkorea.lappgroup.com>

data sheet

PN 0456 / 02_03.16

.



SILVYN® CNP

	()	ID x OD mm	/ in mm	SILVYN® CNP	PU ring (m)
SILVYN® CNP					
61712930	3/8"	12.6 x 19.4	70.0 / 100.0	1/2"	76
61722330	1/2"	16.1 x 23.4	90.0 / 125.0	1/2"	60
61722340	3/4"	21.0 x 29.5	115.0 / 160.0	3/4"	53
61712460	1"	26.5 x 36.3	170.0 / 200.0	1"	30
61712910	1 1/4"	31.5 x 46.0	200.0 / 240.0	1 1/4"	15
61722270	1 1/2"	40.4 x 52.4	230.0 / 290.0	1 1/2"	15
61722320	2"	52.4 x 66.6	260.0 / 350.0	2"	15