


## Detectable cable tie sockets



, X-ray

가

(Polyamid) : 가 , ( ) , , , 가 .

HACCP EU-

UL 94 V-2

ETIM 5:

ETIM 5.0 Class-ID: EC000449  
ETIM 5.0 :

:

:

6.6

:

-40°C +85°C

(24.04.2024)



## Detectable cable tie sockets

가 VAT 가 가 .

(24.04.2024)

## Detectable cable tie sockets

	Article description			(mm)	(mm)	x (mm)	/ PU
Socket with 4 entries (Picture 1)							
61724100	XS PA		PA 6.6 mit Metallanteilen	3	3.6	13.0 x 13.0	100
61724101	S PA		PA 6.6 mit Metallanteilen	3	3.6	20.0 x 20.0	100
61724102	M PA		PA 6.6 mit Metallanteilen	4,5	4.8	28.0 x 28.0	100
61724103	L PA		PA 6.6 mit Metallanteilen	4,5	7.6	38.0 x 38.0	100
61724107	S PP		PP mit Metallanteilen	3	3.6	19.1 x 19.1	100
61724108	Socket Detect M PP		PP mit Metallanteilen	3	7.6	29.0 x 29.0	100
Small Socket (Picture 2)							
61724104	PA		PA 6.6 mit Metallanteilen	3	4.8	21.2 x 10.0	100
61724109	Small Socket Detect PP		PP mit Metallanteilen	4,4	4.8	19.1 x 12.7	1000
Socket with saddle (Picture 3)							
61724105	XS PA		PA 6.6 mit Metallanteilen	4,3	4.7	14.9 x 9.5	100
61724106	S PA		PA 6.6 mit Metallanteilen	4,5	9	22.2 x 15.9	100
61724110	XS PP		PP mit Metallanteilen	3,8	4.8	17.0 x 11.1	100
61724111	S PP		PP mit Metallanteilen	5.2	7.6	23.4 x 14.2	100

(24.04.2024)

©2024 Lapp Group - all rights reserved.

<http://lappkorea.lappgroup.com>

data sheet

PN 0456 / 02\_03.16