

Standard cable ties with steel nose

가



가
Lock

:

,

(16) .

UL file number TY-RAP®: E49405, see table

UL94 V-2

가 "B"(: TYB 24M)가

가

ETIM 5:

ETIM 5.0 Class-ID: EC000046

ETIM 5.0 :

ETIM 6:

ETIM 6.0 Class-ID: EC000046

ETIM 6.0 Class :

:

:

6.6

:

-40°C +85°C

(05.03.2024)

©2024 Lapp Group - all rights reserved.

<http://lappkorea.lappgroup.com>

data sheet

PN 0456 / 02_03.16

Standard cable ties with steel nose

B = , 가
TY-RAP® Thomas & Betts .

가 VAT 가 가 .

Standard cable ties with steel nose

	Article description	UL	x (mm)	Bundling Ø (mm)	(N)	/ PU
61715000	TYB* 23 M	yes	92.0 x 2.3	2 - 16	80	1000
61716250	TY 232 M	yes	203.0 x 2.3	2 - 50	80	1000
61716310	TY 234 M	yes	356.0 x 2.3	2 - 102	80	1000
61715060	TYB* 24 M	yes	140.0 x 3.6	2 - 29	180	1000
61716370	TY 242 M	yes	208.0 x 3.6	2 - 50	180	1000
61715180	TY 26 M	yes	284.0 x 3.6	2 - 76	180	1000
61716430	TY 244 M	yes	368.0 x 3.6	2 - 103	180	1000
61715120	TYB* 25 M	yes	186.0 x 4.8	3.5 - 45	220	1000
61716490	TY 253 M	yes	290.0 x 4.8	3.5 - 78	220	1000
61715300	TY 28 M	yes	361.0 x 4.8	3.5 - 102	220	1000
61716550	TY 272 M	yes	223.0 x 6.9	6 - 50	540	500
61715240	TY 27 M	yes	340.0 x 7.0	6 - 90	540	500
61715360	TY 29 M	yes	771.0 x 6.9	6 - 229	540	500

(05.03.2024)

©2024 Lapp Group - all rights reserved.

<http://lappkorea.lappgroup.com>

data sheet

PN 0456 / 02_03.16