

## Heat-resistant cable ties with steel nose

가 TYRAP® 105 °C



가 TY-RAP®

가

: E49405,  
UL94 V-2

"M" 가

ETIM 5:

ETIM 5.0 Class-ID: EC000046  
ETIM 5.0 :

ETIM 6:

ETIM 6.0 Class-ID: EC000046  
ETIM 6.0 Class :

:

-

:

- 6.6

:

-40 °C~+105 °C

(23.04.2024)



## Heat-resistant cable ties with steel nose

TY-RAP® Thomas & Betts

가 VAT 가 가 .

(23.04.2024)

©2024 Lapp Group - all rights reserved.

<http://lappkorea.lappgroup.com>

data sheet

PN 0456 / 02\_03.16

## Heat-resistant cable ties with steel nose

	Article description	UL	x (mm)	Bundling Ø (mm)	(N)	/ PU
61723470	TYH 23 M	yes	92.0 x 2.4	2 - 16	80	1000
61723460	TYH 232 M	yes	203.0 x 2.4	2 - 50	80	1000
61723440	TYH 24 M	yes	140.0 x 3.6	2 - 29	130	1000
61723430	TYH 242 M	no	208.0 x 3.6	2 - 50	130	1000
61723410	TYH 26 M	yes	284.0 x 3.6	2 - 76	130	1000
61723420	TYH 25 M	yes	186.0 x 4.8	3.5 - 45	220	1000
61723380	TYH 28 M	yes	360.0 x 4.8	3.5 - 102	220	1000
61723390	TYH 272 M	yes	222.0 x 7.6	6 - 50	540	500
61723400	TYH 27 M	yes	340.0 x 7.0	6 - 90	540	500
61723350	TYH 29 M	yes	771.0 x 6.9	6 - 229	530	500

(23.04.2024)

©2024 Lapp Group - all rights reserved.

<http://lappkorea.lappgroup.com>

data sheet

PN 0456 / 02\_03.16