

# STAR STRIP

PTFE, TPE,

PUR

40 mm

가

PUR,

, TPE



가

- 100,000

(PVC, PTFE,

PUR )

가

4.5 - 25 mm 20 - 40 mm

The depth of the blade is adjustable by rotating the upper part of the tool

가

(

가

가

가

)

61735820:

(

)

ETIM 5:

ETIM 5.0 Class-ID: EC000163

ETIM 5.0

ETIM 6:

ETIM 6.0 Class-ID: EC000163

ETIM 6.0 Class

:

가 STAR STRIP: 116g

(24.04.2024)

©2024 Lapp Group - all rights reserved.

<http://lappkorea.lappgroup.com>

data sheet

PN 0456 / 02\_03.16



# STAR STRIP

:

(LxHxB)

: 150x42x30.5 mm

: 167x52x30.5 mm

:

가 VAT 가 가 .

(24.04.2024)

©2024 Lapp Group - all rights reserved.

<http://lappkorea.lappgroup.com>

data sheet

PN 0456 / 02\_03.16



STAR STRIP

		(mm)	(mm)	/ PU
STAR STRIP	( )			
61735820	STAR STRIP	4.5 - 40.0	150	1
61735821	STAR STRIP	-	-	1
61735822	STAR STRIP	4.5 - 25.0	-	1
61735823	STAR STRIP	20.0 - 40.0	-	1

(24.04.2024)

©2024 Lapp Group - all rights reserved.

<http://lappkorea.lappgroup.com>

data sheet

PN 0456 / 02\_03.16